Issue date: 10-August-2023 Version #: 01



# SAFETY DATA SHEET

### 1. Identification

Product identifier

**ORIGIN** 

Other means of identification

None known.

Recommended use

Concentrated detergent for automobiles

**Recommended restrictions** 

None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name DTAIL LAB inc.

Address 300 Saint-Francois-Xavier. Local 207

Delson, Qc, J5B 1Y1

Canada

**Telephone** 514-290-6309

Websitehttp://www.dtaillab.comE-mailinfo@dtaillab.com

#### 2. Hazard identification

Physical hazards Not classified.

**Health hazards** Skin corrosion/irritation Category 2

Serious eye irritation Category 2A
Acute toxicity (oral) Category 4

**Environmental hazards** 

Not classified.

Label elements



Signal word Warning

Hazard statements Causes skin irritation and/or skin allergies. Causes severe eye irritation. Harmful if swallowed

**Precautionary statement** 

Prevention Wash thoroughly after handling. Do not eat, drink or smoke while handling this product.

Avoid release to the environment. Wear eye protection/face protection. Wear protective

gloves. Contaminated work clothes should not leave the workplace.

**Response** IF SWALLOWED: Rinse mouth with water for several minutes. Call a Poison control centre

and/or get medical advice/attention immediately. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it

before reuse. Collect spillage.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Issue date: 10-August-2023 Version #: 01

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Sulfonic acids, C14-16-alkane hydrand C14-16-alkene, sodium salts	оху	68439-57-6	30 - 60

The actual concentration is withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

**Eve contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special

treatment needed

**General information** 

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

# **Environmental precautions**

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Issue date: 10-August-2023 Version #: 01

#### 7. Handling and storage

Precautions for safe handling Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Provide

adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the

environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

### 8. Exposure controls/personal protection

Recommendations listed in this section indicate the type of equipment, which will provide protection against overexposure to this product. Conditions of use, adequacy of engineering or other control measures, and actual exposures will dictate the need for specific protective devices at your workplace.

Occupational exposure limits 
No exposure limits noted for ingredient(s).

Consult provincial or territorial exposure values, as may apply.

**Biological limit values**No biological exposure limits noted for the ingredient(s).

Appropriate engineering

Provide eyewash station and safety shower.

controls

#### Individual protection measures, such as personal protective equipment

The following are recommendations only for the use of PPE. These recommendations cannot anticipate the variety of workplaces where the product will be used, nor how the product will be used in a variety of applications and processes. In determining appropriate PPE and engineering controls, it is the duty of the employer / user to evaluate their use of this product in accordance with the requirements of the local jurisdiction, and, if necessary, in conjunction with a professional industrial hygienist.

**Eye/face protection** Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Wear appropriate chemical resistant clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid.
Colour GOLDEN

Odour PERFUMED

Odour threshold Not available.
pH 7.0 – 8.0

Melting point/freezing point 0 °C (32 °F) estimated Initial boiling point and boiling 100 °C (212 °F) estimated

range

Flash point 95 °C (203 °F) estimated

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)

Not available.

Flammability limit - upper

(0/.)

Not available.

(%)

Explosive limit - lower (%) Not available.

Issue date: 10-August-2023 Version #: 01

Explosive limit – upper

(%)

Not available.

Vapour pressureNot available.Vapour densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

**Density** 8.76 lbs/gal

1.05 g/ml

Explosive properties Not explosive.

Flammability class Not available.

Oxidising properties Not oxidising.

Percent volatile 62% estimated

Specific gravity 1.05

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid**Contact with incompatible materials.

**Incompatible materials** Strong oxidising agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

#### 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** Knowledge about health hazard is incomplete.

**Skin contact** Causes skin irritation.

**Eye contact** Causes severe eye irritation.

**Ingestion** Knowledge about health hazard is incomplete.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause

redness and pain.

Information on toxicological effects

Acute toxicityHarmful if swallowedSkin corrosion/irritationCauses skin irritation.

Serious eye damage/eye Causes severe eye irritation.

irritation

Respiratory or skin sensitisation

Respiratory sensitisation
Skin sensitisation
Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Issue date: 10-August-2023 Version #: 01

**Reproductive toxicity**Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

**Aspiration hazard**Due to partial or complete lack of data the classification is not possible.

# 12. Ecological information

**Ecotoxicity** Nocif Harmful to aquatic organisms, causes long-term adverse effects.

**Substances** 

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

 Aquatic
 Species
 Test results

 Fish
 LC50
 Brachydanio rerio
 1.00 – 10.00 mg/l, 96h

Persistence and degradability

Bioaccumulative potential

Mobility in soil

The substance is readily biodegradable according to OECD criteria.

No data available. No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

Transportation information on packaging may be different from that listed.

Not established.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

**General information** 

**TDG** 

Not regulated as dangerous goods.

## 15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS

contains all the information required by the HPR.

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

#### 16. Other information

Issue date 10-August-2023

Revision date N/A Version No. 01

Issue date: 10-August-2023 Version #: 01

#### Disclaimer

While DTAIL LAB believes the information contained herein to be accurate, DTAIL LAB makes no representation or warranty, express or implied, regarding, and assumes no liability for, the accuracy or completeness of the information. The Buyer assumes all responsibility for handling, using and/or reselling the Product in accordance with applicable federal, state, and local law. This SDS shall not in any way limit or preclude the operation and effect of any of the provisions of DTAIL LAB 's terms and conditions of sale